

DAFTAR PUSTAKA

- Adatu, F., Odeke, R., Mugenyi, M., et al. (2003). Implementation of the DOTS strategy for tuberculosis control in rural Kigoba District, Uganda, offering patients the option of treatment supervision in the community, 1998-1999, *International Journal Tuberculosis Lung Disease*, 7(9 suppl 1):S63-S71
- Amelia, F., Nahrin, S. N., Permatasari, D. A., & Suryani, F. (2016, September). Aplikasi Kalender Minum Obat TBC Berbasis Adroid. In *Seminar Nasional Informatika Medis (SNIMed)* (No. 5).
- Anuwatnonthakate, A., Limsomboon, P., Nateniyom, S., Wattanaamornkiat, W., Komsakorn, S., Moolphate, S., Varma, J. K. (2008). Directly observed therapy and improved tuberculosis treatment outcomes in thailand. *PLoS One*, 3(8) doi:<http://dx.doi.org/10.1371/journal.pone.0003089>
- Arthur. (2013). Pengukuran Acuan Terpadu (PAT) dalam Mengukur Kompetensi pada Ilmu-Ilmu Terapan (Kejuruan), <http://educ.utm.my/wp-content/uploads/2013/11/53.pdf> mengukur PAT kompetensi terapan
- Baker, Elsie, S., and Edwards, Rosalind (2012) How many qualitative interviews is enough. Discussion Paper. NCRM, <http://eprints.ncrm.ac.uk/2273/>
- Bele, S., Jiang, W., Lu, H., You, H., Fan, H., Huang, L., . . . Wang, J. (2014). Population aging and migrant workers: Bottlenecks in tuberculosis control in rural china. *PLoS One*, 9(2), e88290. doi:<http://dx.doi.org/10.1371/journal.pone.0088290>
- Belknap R, Weis S, Brookens A, Au-Yeung KY, Moon G, et al. (2013) Feasibility of an Ingestible Sensor-Based System for Monitoring Adherence to Tuberculosis Therapy. *PLOS ONE* 8(1): e53373. <https://doi.org/10.1371/journal.pone.0053373>
- Benbaba, S., Isaakidis, P., Das, M., Jadhav, S., Reid, T., & Furin, J. (2015). Direct observation (DO) for drug-resistant tuberculosis: Do we really DO? *PLoS One*, 10(12) doi:<http://dx.doi.org/10.1371/journal.pone.0144936>
- Bhawnani, D., Verma, N., Tiwari, A., & Bandhi, G. (2014). Assessment of knowledge and practice of tuberculosis health visitors and health workers under revised national tuberculosis control programme in raipur district of chhattisgarh state. *National Journal of Medical and Dental Research*, 2(3), 18-24. Retrieved from <https://search.proquest.com/docview/1556081460?accountid=62690>
- Bungin, B. (2008). *Sosiologi Komunikasi (Teori, Paradigma, dan Discourse Teknologi Komunikasi di Masyarakat)*. Jakarta: Kencana Prenada Media Group.

- Cahyani, M., A., (2015). Kalender Pintar : Solusi Inovatif Peningkat Kepatuhan Minum Obat pada Penderita TB, UNIVERSITAS JEMBER, <https://docslide.net/documents/kalender-minum-obat-penderita-tbc.html>
- Comolet, T. M., Rakotomalala, R., & Rajaonarivoa, H. (1998). Factors determining compliance with tuberculosis treatment in an urban environment, Tamatave, Madagascar. *The International Journal of Tuberculosis and Lung Disease*, 2(11), 891-897.
- Dave, P. V., Shah, A. N., Nimavat, P. B., Modi, B. B., Pujara, K. R., Patel, P., . . . Kumar, A. M. V. (2016). Direct observation of treatment provided by a family member as compared to non-family member among children with new tuberculosis: A pragmatic, non-inferiority, cluster-randomized trial in gujarat, india. *PLoS One*, 11(2) doi:<http://dx.doi.org/10.1371/journal.pone.0148488>
- Departemen Kesehatan Republik Indonesia, (2009). *Buku Saku Kader Program Penanggulangan TB*, Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan, Departemen Kesehatan Republik Indonesia.
- El Arifeen, S., Christou, A., Reichenbach, L., Osman, F. A., Azad, K., Islam, K. S., . . . Peters, D. H. (2013). Community-based approaches and partnerships: Innovations in health-service delivery in bangladesh. *The Lancet*, 382(9909), 2012-26. doi:[http://dx.doi.org/10.1016/S0140-6736\(13\)62149-2](http://dx.doi.org/10.1016/S0140-6736(13)62149-2)
- Fox, G. J., Nhung, N. V., Sy, D. N., Lien, L. T., Cuong, N. K., Britton, W. J., & Marks, G. B. (2012). Contact investigation in households of patients with tuberculosis in hanoi, vietnam: A prospective cohort study. *PLoS One*, 7(11) doi:<http://dx.doi.org/10.1371/journal.pone.0049880>
- Getahun, B., & Nkosi, Z. Z. (2017). Satisfaction of patients with directly observed treatment strategy in addis ababa, ethiopia: A mixed-methods study. *PLoS One*, 12(2) doi:<http://dx.doi.org/10.1371/journal.pone.0171209>
- Guess, G., Bunce, A & Johnson, L. (2006) How many interviews are enough? AN experiment with data saturation and variability, *Field methods*, vol.18, no.1.
- Hadifah, Z. (2015). Pemenuhan Tugas Pengawas Menelan Obat (PMO) Bagi Penderita Tuberkulosis (TB) sebagai Indikator Penyakit Menular di Puskesmas Kota Sigli Kabupaten Pidie. *Jurnal Sel*, 1(1), 17-23.
- Jaiswal, A., Singh, V., Ogden, J. A., Porter, J. D. H., Sharma, P. P., Sarin, R., & Jain, R. C. (2003). Adherence to tuberculosis treatment: lessons from the urban setting of Delhi, India. *Tropical Medicine & International Health*, 8(7), 625-633.
- Kangovi, S., Mukherjee, J., Bohmer, R., & Fitzmaurice, G. (2009). A classification and meta-analysis of community-based directly observed therapy programs for tuberculosis treatment in developing countries. *Journal of Community Health*, 34(6), 506-13. doi:<http://dx.doi.org/10.1007/s10900-009-9174-4>

- Kementrian Kesehatan Republik Indonesia, (2011). *Strategi Nasional Pengendalian TB DI Indonesia 2010-2014*. Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan, Kementrian Kesehatan Republik Indonesia.
- Kementrian Kesehatan Republik Indonesia, (2013). Riset Kesehatan Dasar 2013, Badan Penelitian dan Pengembangan Kesehatan, Kementrian Kesehatan Republik Indonesia.
- Kementrian Kesehatan Republik Indonesia, (2014). *Pedoman Nasional Pengendalian Tuberkulosis*. Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan, Kementrian Kesehatan Republik Indonesia.
- Kementrian Kesehatan Republik Indonesia, (2016). *Peraturan Menteri Kesehatan Republik Indonesia nomor 67 tahun 2016 tentang Penanggulangan Tuberkulosis*.
- Kementrian Kesehatan Republik Indonesia, (2016). Infodatin Tuberkulosis Temukan Obati Sampai Sembuh. Pusat Data dan Informasi Kementrian Kesehatan repoublik Indonesia.
- Latham, J. R. (2013). A framework for leading the Transformation to Performance Excellence part I: CEO perspectives on forces, facilitators, and strategic leadership systems. *Quality Management Journal*, 20(2), 22. http://johnlatham.me/wp-content/uploads/2013/12/2013_QMJ_P1.pdf
- Lei, X., Huang, K., Liu, Q., Yong-Feng, J., & Sheng-Lan, T. (2016). Are tuberculosis patients adherent to prescribed treatments in china? results of a prospective cohort study. *Infectious Diseases of Poverty*, 5doi:<http://dx.doi.org/10.1186/s40249-016-0134-9>
- Lismayanti, L. (2011). Pengalaman Hidup Penderita Filariasis di Kota Tasikmalaya, *Tesis*, Universitas Padjajaran Fakultas Ilmu Keperawatan Program Magister Ilmu Keperawatan, Bandung
- Lincoln, Y., S., and Denzin, N., K. (2009) *Handbook of Qualitative Research*, Sage Publication, Pvt. Ltd.
- Maciel, et a.l, (2008). "Directly Observed Therapy Using Home-Based Supervisors for Treating Tuberculosis in Vitória, Brazil"
- Mahendra, (2006) Faktor - faktor yang Berhubungan dengan Penemuan Kasus TB di Bali, <http://download.portalgaruda.org/article.php?article=17939&val=1114> [6/3/2017]
- Mahendradhata, Y., Lestari, T., Probandari, A., Lucia, E. I., Burhan, E., Mustikawati, D., & Utarini, A. (2015). How do private general practitioners manage tuberculosis cases? A survey in eight cities in indonesia. *BMC Research Notes*, 8 Retrieved from <https://search.proquest.com/docview/1779874613?accountid=62690>
- Ministry of Health & Family Welfare, (2010). *Revised National Tuberculosis Control Programme, Central TB Division*, Directorate General of Health Services.
- Moleong, L.J. 2007. *Metodologi Penelitian Kualitatif*. Edisi Revisi. Bandung. Rosda.

- Moosazade, M., Jamshidi, M., Amiresmaili, M., & Nezammahalleh, A. (2012). A comparison of directly observed therapy and self-administered therapy strategies in treatment of pulmonary tuberculosis: A cohort study in north of Iran. *Middle-East J Sci Res*, 11(7), 873-880.
- Mutire, B. N., Keraka, M. N., Kimuu, P. K., Kabiru, E. W., Ombeka, V. O., & Oguya, F. (2011). Factors associated with default from treatment among tuberculosis patients in nairobi province, kenya: A case control study. *BMC Public Health*, 11, 696. doi:<http://dx.doi.org/10.1186/1471-2458-11-696>
- Newell, J. N., Baral, S., C., Pande, S., B., Bam, D., S., Malla, P., (2006). Family member DOTS and community DOTS for tuberculosis control in Nepal: cluster-randomised controlled trial, *Lancet*, 2006;367(9514):903-9. DOI:10.1016/S0140-6736(06)68380-3
- Newell, J. N., Pande, S. B., Baral, S. C., Bam, D. S., & Malla, P. (2004). Control of tuberculosis in an urban setting in nepal: Public-private partnership. *World Health Organization.Bulletin of the World Health Organization*, 82(2), 92-8. Retrieved from <http://search.proquest.com/docview/229544131?accountid=48290>
- New Jersey Medical School, National Tuberculosis Center, (2003). *Guidelines for Collaborating with Community Physicians*, New Jersey Medical School.
- Nyirenda, T., E., Harries, A., D., Gausi, F., et al. Decentralisation of tuberculosis services in a urban setting, Lilongwe, Malawi, *International Journal Tuberculosis Lung Disease*, 2003; 7(suppl):S21-S29
- Obermeyer, Z., Abbott-Klafter, J., & Murray, C. J. L. (2008). Has the DOTS strategy improved case finding or treatment success? an empirical assessment. *PLoS One*, 3(3) doi:<http://dx.doi.org/10.1371/journal.pone.0001721>
- Otu, A. A. (2013). Is the directly observed therapy short course (DOTS) an effective strategy for tuberculosis control in a developing country?. *Asian Pacific Journal of Tropical Disease*, 3(3), 227-231.
- Philip, S., Isaakidis, P., Sagili, K. D., Meharunnisa, A., Mrithyunjayan, S., & Kumar, A. M. V. (2015). "They know, they agree, but they don't do"- the paradox of tuberculosis case notification by private practitioners in alappuzha district, kerala, india. *PLoS One*, 10(4) doi:<http://dx.doi.org/10.1371/journal.pone.0123286>
- Prado, T. N. D., Wada, N., Guidoni, L. M., Golub, J. E., Dietze, R., & Maciel, E. L. N. (2011). Cost-effectiveness of community health worker versus home-based guardians for directly observed treatment of tuberculosis in Vitoria, Espirito Santo State, Brazil. *Cadernos de saude publica*, 27(5), 944-952.

- Rangki, L. (2014). Pengalaman Hidup Pasien Stoma Pasca Kolostomi di Rumah Sakit Umum Pusat dr. Hasan Sadikin Bandung Jawa Barat, *Tesis*, Universitas Padjajaran Fakultas Ilmu Keperawatan Program Magister Ilmu Keperawatan, Bandung
- Resmyta, Kingkin. (2013). Kalender Minum Obat (KMO) Sebagai Sarana Pendukung Strategi Directly Treatment Shortcourse (DOTS) Dalam Usaha Penanggulangan Penyakit Tuberculosis (TBC) di Indonesia UNIVERSITAS LAMBUNG MANGKURAT FAKULTAS KEDOKTERAN PROGRAM STUDI PENDIDIKAN DOKTER BANJARMASIN, <https://id.scribd.com/document/172094127/Kalender-Minum-Obat-penderita-tbc>
- Rosidawati, I. (2015). Kualitas Hidup Pasien Pasca Bedah Pintas Arteri Koroner (BPAK) di RSUP dr Hasan Sadikin Bandung, *Tesis*, Universitas Padjajaran Fakultas Ilmu Keperawatan Program Magister Ilmu Keperawatan, Bandung
- Sidy, N., Y., (2012). *Analisis Pengaruh Peran Pengawas Menelan Obat dari Anggota Keluarga terhadap Kepatuhan Pengobatan Penderita Tuberculosis di Kota Pariaman Tahun 2010-2011*, Universitas Indonesia Fakultas Kesehatan Masyarakat Program Studi Pasca Sarjana Ilmu Kesehatan Masyarakat, Depok
- Sis, H. Y., Jannati, A., Asghari Jafarabadi, M., Ebra-himi-kalan, M., Taheri, A., & Koosha, A. (2014). The effectiveness of family-based DOTS versus professional-family mix DOTS in treating smears positive tuberculosis. *Health Promotion Perspectives*, 4(1), 98-106. Retrieved from, <http://search.proquest.com/docview/1617792422?accountid=48290>
- Steffen, R., Menzies, D., Oxlade, O., Pinto, M., Castro, A. Z., Monteiro, P., & Trajman, A. (2010). Patients' costs and cost-effectiveness of tuberculosis treatment in DOTS and non-DOTS facilities in rio de janeiro, brazil. *PLoS One*, 5(11) doi:<http://dx.doi.org/10.1371/journal.pone.0014014>, <http://search.proquest.com/docview/1292207792/555E0D5015164E12PQ/4?accountid=62690>
- Suyasa, I., G., D., (2013). *Development of a Self-care Guideline of Faecal Incontinence for Community-dwelling Older People in Indonesia*, Disertasi, School of Nursing and Midwifery, Faculty of Health Sciences Flinders University, Adelaide, Australia
- Thiam, S., LeFevre, A., M., Hane, F., Ndiaye, A., Ba, F., Fielding, K., L., et al. (2007). Effectiveness of a strategy to improve adherence to tuberculosis treatment in a resource poor setting: a cluster randomized controlled trial. *JAMA*, 2007;297(4):380-6. DOI:10.1001/jama.297.4.380
- Turner, T., Misso, M., Harris, C., and Green, S. (2008). Development of evidence-based clinical practice guidelines (CPGs) : comparing approaches, *BioMed Central*, [online]. Available at <http://www.implementationscience.com/content/3/1/45>
- Walley, J. D., M, A. K., Newell, J. N., & M, H. K. (2001). Effectiveness of the direct observation component of DOTS for tuberculosis: A randomised controlled trial in pakistan. *The Lancet*, 357(9257), 664-9. Retrieved from <http://search.proquest.com/docview/199025721?accountid=48290>

- Wade, V. A., Karnon, J., Elliott, J. A., & Hiller, J. E. (2012). Home videophones improve direct observation in tuberculosis treatment: A mixed methods evaluation. *PLoS One*, 7(11) doi:<http://dx.doi.org/10.1371/journal.pone.0050155>
<http://search.proquest.com/docview/1351067644/F14CD0009BD246CAPQ/17?accountid=62690>
- World Health Organization, (2002). *A Guide for Tuberculosis Treatment Supporters*
- World Health Organization, (2003). *Guidelines for WHO Guidelines*. In Global Program on Evidence for Health Policy World Health Organization
- World Health Organization. (2010). *The global planning to stop TB 2011-2015*. Geneva, Switzerland: World Health Organization.
- World Health Organization. (2011). *Ending TB in the South-East Asi Region:Regional Strategic Plan 2016-2020*.
- World Health Organization. (2010). *Treatment of Tuberculosis Guidelines*. Fourth Edition. Geneva, Switzerland: World Health Organization.
- World Health Organization. (2014). *International Standars For Tuberculosis Care, Diagnosis Treatment Public Health*, Third Edition.
- World Health Organization. (2016). *Global Tuberculosis Report 2016*. Geneva, Switzerland: World Health Organization.
- Wysocki, A. D., Villa, T. C., Arakawa, T., Brunello, M. E., Vendramini, S. H., Monroe, A. A., & Kritski, A. L. (2016). Latent tuberculosis infection diagnostic and treatment cascade among contacts in primary health care in a city of sao paulo state, brazil: Cross-sectional study. *PLoS One*, 11(6) doi:<http://dx.doi.org/10.1371/journal.pone.0155348>
- Yani, D. I. , Isaramalai, S. , Kritpracha, C. (2014). 'Effect of Family-Based DOTS Support Program on Adherence to Health Behaviors among Patients with Pulmonary Tuberculosis in Bandung, Indonesia'. *World Academy of Science, Engineering and Technology, International Science Index, Medical and Health Sciences*, 1(9), 146.
- Zhang, H., Ehiri, J., Yang, H., Tang, S., & Li, Y. (2016). Impact of community-based DOT on tuberculosis treatment outcomes: A systematic review and meta-analysis. *PLoS One*, 11(2) doi:<http://dx.doi.org/10.1371/journal.pone.0147744>
- Zwarenstein, M., Schloeman, J. H., Vundule, C., Lombard, C. J., & Tatley, M. (1998). Randomised controlled trial of self-supervised and directly observed treatment of tuberculosis. *The Lancet*, 352(9137), 1340-3. Retrieved from <http://search.proquest.com/docview/198990637?accountid=48290>