

UNIVERSITAS MUHAMMADIYAH TASIKMALAYA
FAKULTAS ILMU KESEHATAN
PROGRAM STUDI SARJANA KEPERAWATAN
Skripsi, September 2017

SYIPAUL PUADIATI
C14201132078

**HUBUNGAN INTENSITAS NYERI DENGAN PERILAKU NYERI
PASIEN POST OPERASI APENDIKTOMI DI RSUD DR. SOEKARDJO
KOTA TASIKMALAYA**

Abstrak

xiii, 63 hal, VII Bab, 7 Tabel, 1 Bagan, 6 Lampiran

Apendisitis merupakan penyebab paling umum inflamasi akut pada kuadran kanan bawah rongga abdomen serta merupakan keadaan darurat pada bedah abdomen. Dampak yang ditimbulkan pasca operasi apendik adalah rasa nyeri. Nyeri merupakan kondisi berupa perasaan yang tidak menyenangkan. Sifatnya sangat subjektif karena perasaan nyeri berbeda pada setiap orang dalam hal skala atau tingkatannya. Penelitian ini bertujuan untuk mengetahui hubungan intensitas nyeri dengan perilaku nyeri pasien post operasi apendiktomi di RSUD dr. Soekardjo Kota Tasikmalaya. Metode yang digunakan adalah metode *studi korelasional* dengan rancangan penelitian *cross sectional*. Jumlah sampel sebanyak 37 orang dengan teknik *purposive sampling*. Instrumen pengumpulan data dengan menggunakan NPRS dan PBOP. Hasil penelitian menunjukkan intensitas nyeri pasien post operasi apendiktomi dengan rerata 3,62. Perilaku nyeri pasien post operasi, ekspresi tingkah laku tingkat rendah sebanyak 14 responden (37,8%) dan Ekspresi tingkah laku tingkat sedang sebanyak 23 responden (62,2%). Terdapat hubungan intensitas nyeri dengan perilaku nyeri pasien post operasi apendiktomi di RSUD dr. Soekardjo Kota Tasikmalaya dengan *p Value* 0,006. Diharapkan dapat mengambil manfaat dari hasil penelitian ini sebagai masukan bagi rumah sakit untuk pembuatan SOP pelaksanaan perawatan pasien operasi, sehingga perawat dapat memberikan asuhan keperawatan untuk mengkaji nyeri post operasi apendiktomi.

Kata kunci : Intensitas Nyeri, Perilaku Nyeri, Post Operasi Apendiktomi.
Kepustakaan : 57 (2007 – 2015)

**MUHAMMADIYAH UNIVERSITY TASIKMALAYA
FACULTY OF HEALTH SCIENCES
GRADUATE BACHELOR OF NURSING PROGRAM
Tasikmalaya, September 2017**

**SYIPAUL PUADIATI
C14201132078**

RELATIONSHIP PAIN INTENSITY WITH PATIENT BEHAVIOR POST OPERATIONS APPICATOMY IN DR. SOEKARDJO HOSPITAL TASIKMALAYA

Abstract

Xiii, 63 page, VII Chapter, 7 Tables, 1 Chart, 6 Appendices

Appendicitis is the most common cause of acute inflammation in the lower right quadrant of the abdominal cavity as well as an emergency in abdominal surgery. The impact of postoperative Appendicitis is pain. Pain is a condition of unpleasant feelings. It is very subjective because the pain is different to everyone in terms of scale or level. This study aims to determine the relationship of pain intensity with patient postoperative pain behavior appendectomy in dr. Soekardjo Kota Tasikmalaya. The method used is correlational study method with cross sectional study design. The number of samples is 37 people with purposive sampling technique. Data collection techniques were collected directly from respondents using NPRS and PBOP. The results showed the intensity of postoperative patient pain appendectomy with average 3.62. Postoperative patient postoperative pain, low level behavioral expressions were 14 respondents (37.8%) and moderate behavioral expression of 23 respondents (62.2%). There is correlation of pain intensity with patient post appendectomy post-operative pain behavior in RSUD dr. Soekardjo Kota Tasikmalaya. with p Value 0,006. It is expected to benefit from the results of this study as input for hospitals for the manufacture of SOP for the operation of patient care, so that nurses can provide nursing care to assess postoperative pain of appendectomy.

*Keywords : Intensity of Pain, Pain Behavior, Post Operation Apendiktomy
Bibliography : 57 (2007 – 2015)*