

**PROGRAM STUDI DIII KEBIDANAN
FAKULTAS ILMU KESEHATAN
UNIVERSITAS MUHAMMADIYAH TASIKMALAYA
LAPORAN TUGAS AKHIR**

**LISTIA NURJANAH
E1540114056**

**“PENATALAKSANAAN MOBILISASI UNTUK MEMPERCEPAT
PENYEMBUHAN LUKA PERINEUM”**

ABSTRAK

Luka perineum dapat terjadi sewaktu persalinan bisa terjadi secara spontan atau episiotomi. Salah satu infeksi pada masa nifas adalah infeksi pada luka jahitan dimana 50% kematian masa nifas terjadi 24 jam pasca persalinan. Salah satu asuhan untuk memaksimalkan penyembuhan luka pada ibu pasca bersalin diantaranya mobilisasi untuk mempercepat penyembuhan luka perineum. Metode yang dilakukan adalah metode asuhan. Tujuan asuhan ini adalah untuk mempercepat penyembuhan luka perineum pada ibu postpartum 2 jam primipara di Wilayah Kerja Puskesmas DTP Urug Mampu Poned. Asuhan ini dilakukan pada 6 responden ibu postpartum primipara dengan luka perineum grade 2. Asuhan ini dilakukan pada tanggal 27 april- 3 juni 2017. Melakukan observasi asuhan dari hari ke 1 sampai hari ke 4. Berdasarkan hasil asuhan 6 responden rata-rata mempunyai percepatan kesembuhan 3 hari. Dari hasil asuhan dapat disimpulkan bahwa dengan penatalaksanaan mobilisasi dapat mempercepat penyembuhan luka perineum.

Kata kunci : Mobilisasi, luka perineum, ibu post partum

STUDY PROGRAM DIII MIDWIFERY
FACULTY OF HEALTH SCIENCES
UNIVERSITY OF MUHAMMADIYAH TASIKMALAYA
FINAL REPORT, AUGUST 2017

LISTIA NURJANAH

NIM: E.1540.14.056

**MANAGEMENT MOBILIZATION TO ACCELERATE HEALING OF
WOUNDS THE PERINEUM**

ABSTRACT

The wounds of perineum is a tear that occur on the perineum during childbirth can occur spontaneously or episiotomy. One infection during childbirth is an infection in the wound stitches where 50% death time of parturition occurs 24 hours post birth. One of the orphanage to maximize the healing of wounds in the mother post maternity include the mobilization to accelerate healing of wounds the perineum. The goal of this care is to improves wound healing in the mother postpartum perineum 2 hours at Clinics DTP Urug Capable Poned. This orphanage is conducted on 10 respondents postpartum mothers primipara and multipara perineum wound with grade 2. It's done on 27 april-3 June 2017 with waku vary on each respondennya. Do the observations from day to 1-4. Based on the results of the care of 10 respondents against the acceleration of wound healing acceleration of healing of the perineum ratarata have 3 days. From the results it can be concluded that with the orphanage management mobilization can speed healing of wounds of perineum.

Keywords: Mobilization, cuts the perineum, the mother of postpartum