

## DAFTAR PUSTAKA

- A. A. Barros, M. V. Cavalcente, D. D. J. M. Moura, L. G. C. de Menezes, L. L. Aguiar, and G. A. Xavier. (2014). Health Behaviors of People with Hypertension: Health Belief Model. *Rev. da Rede Enferm. do Nord*, vol. 15, no. 3, pp, 525-532.
- A. Kosasih, et al. (2019). *Konsensus Penatalaksanaan Hipertensi 2019*. Jakarta: Perhimpunan Dokter Hipertensi Indonesia.
- Baghiani Moghadam MH, Taheri GH, Fallah ZH, Parsa M. (2014). The Effect of Instructional Designed SMS based on Health Belief Model on Adoption of Self-Care Behavior of Patients with Type 2 Diabetic. *Modern Care*, 8-10.
- Conner. M, & Norman, P. (2003). *The Health Belief Model*. Buckingham: Open University Press.
- F. Maulidina et al. (2019). Faktor-faktor yang Berhubungan dengan Kejadian Hipertensi di Wilayah Kerja Puskesmas Jati Luhur Bekasi Tahun 2018. *ARKESMAS*, vol. 4, pp, 143-148.
- G. N. Fitri, L. Lismayanti, and N. P. Sari. (2019). SEFT Menurunkan Tekanan Darah Pada Lansia Hipertensi. *Bulerin Media Inf.*, vol. 13, no July 2017, pp, 53-59.
- Ganhaloo SH, Ghofranipour F, Vafaei M, Kimiagar M, Heidar AR, Sobhani AR, et al. (2008). Assessment HBM Structures along with DBA1C in Diabetic Patients with ioptimum and un favorable diabet. *Journal of Hormozgan Medical School*, 37-42.
- Glanz, Barbara. K, Viswanath. (2008). Health Behavior and Health Education: Theory, Research, and Practice. *JosseyBass*, 45-51.
- H. Hosseini, et. al. (2017). Determinant of Physical Activity in Middle-aged Woman in Ishafan Using the Health Belief Model. *Journal of Education and Health Promotion*, volume 6.
- H. Maulitanisa, et al. (2019). Faktor-faktor yang Berhubungan dengan Kejadian Hipertensi pada Masyarakat RW 009 Kelurahan Bojong Menteng Bekasi 2018. *vol. 4, pp, 143-148.*
- Hastono, L. S. (2014). *Statistik Kesehatan, 1st ed.* Jakarta: Rajawali Press.
- Hu, H., Li G., & Arao, T. (2013). Validation of a Chinese Version of the Self Efficacy for Managing Chronic Disease 6-item Scale in Primary Care. *ISRN. Public. Health.*
- Janz, Nancy. K; Marshall H. Becker. (1984). the Health Belief Model: A Decade Later. *Health Eduation & Behavior*, 1-47.

- L. Lismayanti & N. Pamela. (2018). Efektifitas Spiritual Emotional Freedom Therapy (SEFT) dalam Menurunkan Tekanan Darah pada Lansia diatas 65 Tahun yang Mengalami Hipertensi. *no. April.*, pp, 64-67.
- L. Sabri & S. P. Hastono. (2014). *Statistik Kesehatan, 1st ed.* Jakarta: Rajawali Press.
- M. B. A. Alalah. (2017). Effect of Health Education Intervention on Improving Compliance to Treatment among Hypertensive Patients: Application of Health Belief Model. *Egypt. J. Community. Med., vol 35, no. 2.*, pp, 15-34.
- M. Khorsandi, Z. Fekrizadeh, N. Roozbahani. (2017). Investigation of the effect of education based on the health belief model on the adoption of hypertension-controlling behaviors in the elderly. *Dove Medical Press Limited*, 233-240.
- N. M. Maharianingsih, A. Rahem, L. Aditama. (2018). Pengaruh Patient Decision Aid terhadap Knowledge, Attitude, Practice, dan Tekanan Darah Pasien Hipertensi di UPTD Puskesmas Tabanan III. *Jurnal Farmasi Klinik Indonesia*, 270-279.
- N. Tshuma, et. al. (2017). The mediating role of self-efficacy in the relationship between premotivational cognitions and engagement in multiple health behaviors: a theory-based cross-sectional study among township residents in South Africa. *Journal of Multidisciplinary Healthcare*, 29-39.
- Noorhadi Moch. (2008). Hipertensi dan Pengaruhnya terhadap Organ-organ Tubuh. *Mdikora, vol. 4, no. 2*, pp, 1-18.
- Oktaviarini. (2017). Faktor yang Berisiko terhadap Hipertensi pada Pegawai di Wilayah Perimeter Pelabuhan (Studi di Kantor Kesehatan Pelabuhan Kelas II Semarang). *J. Epidemiol. Kesehat. Komunitas. Behav., vol. 02, no. 02*, pp, 183-189.
- R. C. Puspita, D. Tamomo, & D. Indarto. (2018). Health Belief Model for the Analysis of Factors Affecting Hypertension Preventive Behavior among Adolescents in Surakarta. *J. Heal. Promot. Behav., vol 02 no. 01.*, pp, 67-70.
- R. Fitriana, N. Ii. Lipoeto, & V. Triana. (2013). Faktor Resiko Kejadian Hipertensi pada Remaja di Wilayah Kerja Puskesmas. *J. Kesehat. Masy., vol, 7, no. 1*, pp, 10-15.
- R. Nurfitriyana & F. Coralia. (2015). Health Belief Penderita Hipertensi Primer Non Compliance di Rumah Sakit Hasan Sadikin Bandung. *Semin. Psikol. Kemanus., pp*, 978-979.
- Rosenstock & Irwin. (1974). Historical Origins of the Health Belief Model. *Health Education & Behavior*, 328-335.
- S. I. Onuruoiza, A. Musa, B. D. Umar, & Y.S Kunle. (2015). Using Health Beliefs Model as an Intervention to Non Compliance with Hypertension Information

among Hypertensive Patient. *Int. Organ. Sci. Res. J. Humanit. Soc. Sci.*, vol 20, no. 9, pp, 11-16.

S. Ratna, D. Tamtomo, N. Suryani. (2016). Health Belief Model: Determinants of Hypertension Prevention Behavior Adults at Community Health Center, Sukoharjo, Central Java. *Journal of health Promotion and behavior*, 161-171.

Said, A. (2019). *Berita Resmi Statistik*. Jakarta.

Sartik, S. Tjekyan, & M. Zulkarnain. (2017). Faktor-faktor Risiko dan Angka Kejadian Hipertensi pada Penduduk Palembang. *J. Ilmu Kesehat. Masy.*, vol. 8, no . 3, pp, 978-979.

chmiege, S. J; Aiken, L. S; J. L. and Gerend. (2007). osteoporosis Prevention Among Young Women: Phsychological Models of Calcium Consumption and Wight Bearing Exercise. *Health Psychology*, 57-87.

Shameena, S. Badgier, N. Kumar. (2017). Medication adherence and health belief model among hypertensive patients attending rural centres of a tertiary care hospital in South India. *International Journal of Community Medicine and Public Health*, 1159-1165.

Shamsi M, Sharifirad G, Kachoyeee A, Hassanzadeh A. (2010). The Effect of Educational Program Walking Based on Health Belief Model on Control Sugar in Woman by Type 2 Diabetics. *Iranian Journal of Endocrinology & Metabolism*, 11 (5): 490-9.

Sugiono. (2011). *Metode Penelitian Kuantitatif Kualitatif dan R&D*, 1st ed. Bandung: Alpabeth.

Sugiyanto & R. E. Budiati. (2012). Faktor-faktor yang Berhubungan dengan Kejadian Hipertensi di Puskesmas Tlogowungu Kabupaten Pati. *J. Keperawatan dan kesehat*, vol. 4, no. 2, pp, 71-72.

W. Afiah, S. Yusran, & La Ode Muhamad Sety. (2018). Faktor Resiko Antara Aktifitas Fisik, Obesitas, dan Stres dengan Kejadian Penyakit Hipertensi pada Umur 45-55 Tahun di Wilayah Kerja Puskesmas Soropia Kabupaten Konawe Tahun 2018. *J. Ilm. Mhs. Kesehat. Masy.*, vol 3, no. 2, pp, 1-10.

W. T. federer. (1966). Random and Sample Size in Experimentation. *Food and Drug Administration Statistics Seminar*, 1-14.